## **University of Massachusetts Medical School** eScholarship@UMMS

UMass Center for Clinical and Translational Science 2012 UMass Center for Clinical and Translational Research Retreat

Science Research Retreat

May 22nd, 4:30 PM - 6:00 PM

## Medication Errors in the Home: A Multisite Study of Children with Cancer

Kathleen E. Walsh University of Massachusetts Medical School, Kathleen.Walsh2@umassmemorial.org

Douglas W. Roblin Kaiser Permanente

Saul N. Weingart Dana-Farber Cancer Institute

See next page for additional authors

Follow this and additional works at: http://escholarship.umassmed.edu/cts retreat

Part of the Health Services Research Commons, Hematology Commons, Neoplasms Commons, Oncology Commons, and the Pediatrics Commons

Kathleen E. Walsh, Douglas W. Roblin, Saul N. Weingart, Kathleen E. Houlahan, Barbara Degar, Amy Billett, Christopher P. Keuker, Colleen Biggins, Justin Li, Karen Wasilewski, and Kathleen M. Mazor, "Medication Errors in the Home: A Multisite Study of Children with Cancer" (May 22, 2012). UMass Center for Clinical and Translational Science Research Retreat. Paper 60. http://escholarship.umassmed.edu/cts\_retreat/2012/posters/60

This material is brought to you by eScholarship@UMMS. It has been accepted for inclusion in UMass Center for Clinical and Translational Science Research Retreat by an authorized administrator of eScholarship@UMMS. For more information, please contact Lisa.Palmer@umassmed.edu.

## **Presenter Information**

Kathleen E. Walsh, Douglas W. Roblin, Saul N. Weingart, Kathleen E. Houlahan, Barbara Degar, Amy Billett, Christopher P. Keuker, Colleen Biggins, Justin Li, Karen Wasilewski, and Kathleen M. Mazor

## **Creative Commons License**



This work is licensed under a Creative Commons Attribution-Noncommercial-Share Alike 3.0 License.

MEDICATION ERRORS IN THE HOME: A MULTISITE STUDY OF CHILDREN WITH CANCER

Kathleen E. Walsh, M.D., M.Sc., <sup>1,2</sup> Douglas W. Roblin, Ph.D., <sup>3</sup> Saul N. Weingart, M.D., Ph.D., <sup>4</sup> Kathleen E. Houlahan, M.S.N., M.H.A., R.N., 4,5 Barbara Degar, M.D., 4,5 Amy Billett, M.D., 4,5 Christopher Keuker, M.D., Colleen Biggins, Justin Li, Karen Wasilewski, M.D., Kathleen M. Mazor, Ed.D., M.S.

<sup>1</sup>Department of Pediatrics, University of Massachusetts School of Medicine, Worcester, MA; <sup>2</sup>Meyers

Primary Care Institute, Worcester, MA; <sup>3</sup>Kaiser Permanente Georgia, Atlanta, GA; <sup>4</sup>Dana-Farber Cancer Institute, Boston, MA: 5Children's Hospital Boston, Boston, MA: 6Emory Medical School, Atlanta, GA:

<sup>7</sup>Department of Medicine, University of Massachusetts School of Medicine, Worcester, MA

Contact: WalshK02@umassmemorial.org

**ABSTRACT** 

**Context:** As treatment for many illnesses shifts from the hospital to the home, medications previously

managed by nurses are now managed by patients and their families. Oral chemotherapy and other

cancer-related medications are commonly administered to children with cancer at home by their

parents.

**Objective:** To describe the types of errors occurring in the home medication management of children

with cancer.

Design: In a prospective observational study at three pediatric oncology clinics in the Northeast and

Southeast US, patients undergoing chemotherapy and their parents were recruited from 11/2007-

4/2011. We reviewed medical records and checked prescription doses. A trained nurse visited the

home, reviewed medication bottles and directly observed administration.

independently made judgments regarding whether an error occurred and its severity. Overall rates of

errors were weighted to account for clustering within sites.

Results: For 92 patients, we reviewed 963 medications and observed 242 medication administrations.

We found 72 medication errors. Four errors led to significant patient injury. An additional 40 errors had

potential for injury: 2 were life-threatening, 13 serious and 25 significant. Error rates varied between

study sites (40 -121 errors per 100 patients); the weighted overall rate was 70.2 errors per 100 patients

(95%CI: 58.9-81.6). The weighted rate of errors with injury was 3.6 (1.7-5.5) per 100 patients and with

potential to injure the patient was 36.3 (29.3-43.3) per 100 patients. Errors occurred most often in

medication administration (e.g.: failure to change doses as instructed), prescribing, and labeling (e.g.:

1

wrong frequency). Errors less often involved chemotherapy than other medications. Clinicians were unaware of 82% of the errors in their patients' homes.

**Conclusions:** In a multisite study of outpatient pediatric cancer care, medication errors were common. Rates of preventable medication-related injuries in this outpatient population were comparable or higher than that found in studies of hospitalized patients.