

University of Massachusetts Medical School

eScholarship@UMMS

Open Access Articles

Open Access Publications by UMMS Authors

2016-11-23

Older Veteran Digital Disparities: Examining the Potential for Solutions Within Social Networks

Tana M. Luger
Pitzer College

Et al.

Let us know how access to this document benefits you.

Follow this and additional works at: <https://escholarship.umassmed.edu/oapubs>



Part of the [Health Information Technology Commons](#), [Health Services Administration Commons](#), and the [Sociology Commons](#)

Repository Citation

Luger TM, Hogan TP, Richardson LM, Cioffari-Bailiff L, Harvey K, Houston TK. (2016). Older Veteran Digital Disparities: Examining the Potential for Solutions Within Social Networks. Open Access Articles. <https://doi.org/10.2196/jmir.6385>. Retrieved from <https://escholarship.umassmed.edu/oapubs/2985>

This material is brought to you by eScholarship@UMMS. It has been accepted for inclusion in Open Access Articles by an authorized administrator of eScholarship@UMMS. For more information, please contact Lisa.Palmer@umassmed.edu.

Original Paper

Older Veteran Digital Disparities: Examining the Potential for Solutions Within Social Networks

Tana M Luger¹, MPH, PhD; Timothy P Hogan^{2,3}, PhD; Lorilei M Richardson², MS; Lisa Cioffari-Bailiff⁴, BA, RN; Kimberly Harvey⁵, MPH; Thomas K Houston^{2,3}, MPH, MD

¹Pitzer College, Claremont, CA, United States

²Edith Nourse Rogers Memorial Veterans Hospital, Bedford, MA, United States

³Department of Quantitative Health Sciences, University of Massachusetts Medical School, Worcester, MA, United States

⁴Department of Graduate Nursing, University of Massachusetts Medical School, Worcester, MA, United States

⁵VA Boston Healthcare System, Boston, MA, United States

Corresponding Author:

Tana M Luger, MPH, PhD

Pitzer College

1050 N Mills Ave

Claremont, CA, 91711

United States

Phone: 1 415 828 2173

Fax: 1 415 828 2173

Email: tmarieluger@gmail.com

Abstract

Background: Older adults typically have less access to the Internet than other age groups, and older Veterans may use the Internet even less due to economic and geographic reasons.

Objective: To explore solutions to this problem, our study examined older Veterans' reported ability to access technology through their close social ties.

Methods: Data were collected via mail survey from a sample of Veterans aged 65 years and older (N=266).

Results: Nearly half (44.0%, 117/266) of the sample reported having no Internet access. Yet, among those without current access, older Veterans reported having a median of 5 (IQR 7) close social ties with home Internet access. These older Veterans also reported that they would feel comfortable asking a median of 2 (IQR 4) social ties for help to access the Internet, and that a median of 2 (IQR 4) social ties would directly access the Internet for the older Veteran to help with health management.

Conclusions: Findings suggest that even older Veterans without current Internet access have at least two social ties with home Internet who could be called upon for technology support. Thus, older Veterans may be willing to call upon these "surrogate seekers" for technology assistance and support in health management. This has implications for the digital divide, technology design, and health care policy.

(J Med Internet Res 2016;18(11):e296) doi:[10.2196/jmir.6385](https://doi.org/10.2196/jmir.6385)

KEYWORDS

Internet; digital divide; social network; Veterans

Introduction

It is well documented that a "digital divide" exists whereby older adults are less likely to access the Internet than other age groups [1-5]. Recent statistics suggest that 59% of US adults aged 65 years or older use the Internet, compared to 86% of all US adults older than 18 years [6]. There are a number of reasons cited for this discrepancy in the literature [4-7]. For example, older adults may have insufficient digital skills to use the

Internet, inadequate finances to purchase equipment or an Internet service, or perceive limited personal benefit to using the Internet and other technologies [4,7]. Yet, there is variation of use even among the elderly; older adults who do use the Internet are typically wealthier, more educated, and reside in more urban areas compared to older adult nonusers [6,8]. In fact, there appears to be two burgeoning groups of older adults in the United States: younger, wealthier technology adopters and their older, less affluent counterparts [6]. Veterans older

than age 65 years, who represent approximately 46% of the US Veteran population [9], typically earn a lower income than their civilian counterparts [10-12], which may point to an even greater disparity in Internet use. Thus, this paper aims to examine the digital divide in an aging group of Veterans to begin to understand technology adoption in this vulnerable group.

The digital divide is particularly concerning due to the fact that health information technologies (HIT), such as Web-based patient portals, mobile apps, or telehealth systems, are increasingly implemented to provide patients with improved access to their health care providers and self-management resources [13-16]. Such technologies can offer patients and health care providers real-time information about health conditions [17-19], enhance patient-provider communication by allowing information sharing and electronic messaging between involved parties [19,20], and improve patient outcomes by allowing patients access to health information and tools which can aid problem solving, decision making, and goal setting [18,19]. The Veteran's Health Administration (VHA) has been a leader in developing HIT to supplement and enhance face-to-face health care visits, including the MyHealthVet patient portal which features health information and asynchronous secure messaging, the Care Coordination Telehealth Program to provide in-home remote monitoring and consults for chronic disease, and VHA mobile apps that range from weight management coaching to a summary of personal VHA medical information [15,21,22]. With many health care systems turning to technology to facilitate information sharing, communication, and remote monitoring critical to continuity of care, patients without access to technology may find themselves excluded from these promising innovations.

As previously mentioned, older US Veterans are a particularly useful group in which to study barriers to technology access because the social and economic factors that contribute to digital disparities are more common among Veterans. For example, Veterans typically earn a lower income and live in more rural areas than their civilian counterparts [10-12], both of which are associated with a lower rate of technology adoption. In addition, Veterans cope with more health conditions and report poorer health than civilians [10-12], indicating an even greater need for the support of HIT. We examine a group of older Veterans who have yet to adopt the VHA's patient portal in order to begin to explore the practical barriers to using health information technology in this population.

Many older Veterans have family or informal caregivers who help them to manage their health care [23-26]. Thus, an examination of older Veterans is incomplete without consideration of their social context. Research on social networks suggests that people are connected to one another by strong ties (eg, family, close friends) and weak ties (eg, coworkers, acquaintances) [27-30]. For older adults, the presence of social ties has been associated with a lower risk of mortality [31], fewer depressive symptoms [32], and a reduced rate of cognitive decline [33-35]. Conversely, a lack of ties has been associated with poorer self-rated health [36], higher blood pressure [37], and higher systemic inflammation [37]. Social ties play a role in health and behavior by (1) providing emotional, tangible, or informational support; (2) reinforcing

group attitudes and social norms for behaviors; (3) promoting social engagement and participation; and (4) providing access to material resources [27,30,38].

As health care systems such as VHA promote use of patient-facing technology, patients without access to a resource such as the Internet may find themselves at a disadvantage. New solutions for linking patients to technology are needed to ensure that the digital divide does not inadvertently widen, especially in the health arena. Our study examined a sample of older Veterans in order to study the digital divide among a population of lower socioeconomic status older adults with complex health needs, and quantify whether older Veterans might gain access to technology through their social contacts for the concrete purpose of managing their health. Thus, we conducted a 1-year, VHA-funded pilot study to

1. Describe access to and use of technology among a purposeful sample of older Veterans, and
2. Examine older Veterans' reported ability to access the Internet through their social ties for the purpose of health management.

Methods

Setting and Sample

The sample was drawn from the VHA system of electronic health records available through the VHA Corporate Data Warehouse. Veterans of the US armed services aged 65 years and older who had at least two outpatient care visits at a VHA facility between October 1, 2012 and August 1, 2013 were eligible for inclusion. Given the potential for cognitive deficits to influence technology use and shape informal caregiving needs in ways that would not be analogous to other participants, older Veterans with a documented diagnosis of dementia were excluded from participation. Older Veterans were also excluded from the cohort if they were already registered with VHA's personal health record, MyHealthVet. This criterion was used to ensure a sufficient number of older Veterans with limited computer skills or interest among the sample.

Eligible older Veterans were purposefully sampled according to race (white, black, or Hispanic/Latino), marital status (married or single/divorced/widowed), and US geographic location (Northeast, Midwest, South, or West) to allow for a sample of varied demographics. A total of 1500 eligible older Veterans were randomly identified as potential participants and their contact information (name and address) was obtained from the electronic health record. The study was approved by the Institutional Review Board at the Edith Nourse Rogers Veterans Hospital in Bedford, MA.

Survey Procedure and Rates of Response

Survey items were drawn from three previously fielded US telephone or mail surveys examining device ownership, technology use, and health in the civilian population. The surveys included the Computer-Email-Web Fluency Scale [39], Internet Use Among Midlife and Older Adults [40], and the Pew Research Center's Internet Project Tracking Survey [41]. Items related to Internet access through social ties were developed by the research team. The survey was piloted by a

small convenience sample (N=7) who provided written responses regarding the format, organization, and readability of the items. Items were then refined by the research team to produce the final mail survey.

To encourage response to the survey, potential Veteran participants were mailed an introductory letter that explained the purpose and procedures of the study. Two weeks after the initial letter, participants received a token incentive (a miniature calendar), a paper copy of the survey, and a stamped return envelope through the mail. Surveys were fielded between December 2013 and July 2014. A total of 121 surveys were returned as a result of outdated contact information or patient death. In total, 19.29% (266/1379) of the sample completed the survey and were included in analyses.

Survey Variables

Demographics

Participants responded to several questions about their race, education, annual household income, marital status, and self-reported health status. Information on age, gender, race, geographic location (rural/urban), and number of chronic conditions was obtained from the VHA Corporate Data Warehouse system of records to compare with self-reported demographics and to supplement survey data. Finally, participants responded to two items related to health literacy that assessed the extent to which they needed help reading hospital materials and their confidence in filling out medical forms for themselves [42].

Technology Engagement

Participants reported information about their technology engagement by responding to items regarding (1) technological devices used in the past month, (2) methods of Internet access (eg, home computer, library, senior center), (3) Internet experience (ie, comfort with the Internet, typical activities, average use per day), and (4) cellular phone use for text messaging. For each of these questions, participants were instructed to mark all response options that applied to their personal ownership, use, or interest. As a result, the frequencies that we report are not mutually exclusive and represent the percentage of participants who endorsed each response option.

Self-Reports of Social Ties

Participants were asked to report about three distinct categories of social ties: adult children, extended family, and friends. Participants estimated (1) the total number of ties with whom they had spoken in the past 4 weeks, (2) the number of ties with home Internet access (eg, through a computer or smartphone), (3) the number of ties who would allow the older Veteran to use their device to access the Internet for the purpose of health management, (4) the number of ties whom the Veteran would feel comfortable asking for help to use the Internet for health management, and (5) the number of ties who would be willing

to use the Internet on behalf of the older Veteran for health management.

Analyses

We used SPSS version 20 to calculate frequencies and measures of central tendency to describe the older Veteran sample and their personal access to and use of technology and the Internet. Participants marked all response options that applied to their personal ownership and use of technology. As a result, the frequencies that we report are not mutually exclusive and represent the percentage of participants who endorsed each response option. Then, participants were characterized based on their response to the following question: "How do you currently access the Internet?" Veterans who reported having no Internet access were compared to Veterans with current Internet access (eg, via home computer, library, or senior center) by utilizing chi-square tests for independence adjusted by Bonferroni correction and post hoc *z* tests. Listwise deletion was employed to handle missing responses. Next, we used descriptive statistics to examine older Veterans' perceived ability to access the Internet through their social ties. We summed participant responses for each social tie category (adult children, extended family, and friends) to create an overall score for each social tie survey item (see Survey Variables in Methods section). We report social tie data for the entire sample as well as a focus on those Veterans without Internet access. To further investigate participants without Internet access, we grouped these older Veterans according to their reported number of ties with Internet access (no ties, at least one tie, two or more ties).

Results

Veteran Respondent Characteristics

Veteran respondents were predominantly male (95.9%, 255/266) and white (77.4%, 206/266; black: 14.3%, 38/266; Hispanic/Latino: 8.3%, 22/266) with a mean age of 75.7 (SD 7.9, range 65-96) years. A quarter of respondents (25.6%, 68/266) resided in rural areas, and 59.0% (157/266) were married or partnered. One-third had a high school education or less (31.6%, 84/266), and 80.5% (214/266) earned an income of less than US \$45,000 annually. Nearly half (45.5%, 121/266) of respondents reported being in good health. Respondents were diagnosed with mean of 3.4 (SD 4.3, range 0-17) chronic conditions.

Technology Access and Use

Nearly half (44.0%, 117/266) of respondents reported that they did not have access to the Internet. Veterans without Internet access were more likely to be older, unmarried, have completed less education, and earn a lower annual income than those Veterans reporting current Internet access (see Table 1). In addition, Veterans without Internet access were less likely to report being in good health and less likely to be confident in filling out medical forms without assistance, a marker of poorer health literacy.

Table 1. Veteran demographic characteristics compared by Internet access (N=266).

Variables	Older Veterans with current Internet access, n (%) (n=149)	Older Veterans with no Internet access, n (%) (n=117)	P value (z test)
Age (years)			
65-75	89 (59.7)	41 (35.0)	<.001
76-85	49 (32.9)	52 (44.4)	.05
≥86	11 (7.4)	24 (20.5)	.002
Gender			
Male	144 (96.6)	111 (94.9)	.47
Female	5 (3.4)	6 (5.1)	.47
Race/Ethnicity			
Black	20 (13.4)	18 (15.4)	.65
White	117 (78.5)	89 (76.1)	.47
Hispanic	12 (8.1)	10 (8.5)	.63
Marital status			
Married/partnered	97 (65.1)	60 (51.3)	.02
Unmarried (single, divorced, or widowed)	52 (34.9)	57 (48.7)	.02
Rural status			
Urban	114 (77.6)	82 (70.1)	.24
Rural	33 (22.4)	35 (29.9)	.15
Education			
Elementary	1 (0.7)	2 (1.7)	.42
Middle	7 (4.8)	10 (8.6)	.20
High school	27 (18.5)	37 (31.9)	.01
Some college/vocational	48 (32.9)	41 (35.3)	.62
Associates	13 (8.9)	8 (6.9)	.57
College degree	27 (18.5)	11 (9.5)	.04
Graduate degree	23 (15.8)	7 (6.0)	.02
Income (US \$)			
5000-10,000	4 (3.0)	13 (12.5)	.005
10,001-15,000	11 (7.4)	24 (23.1)	.002
15,001-25,000	20 (13.4)	27 (26.0)	.04
25,001-35,000	38 (25.5)	21 (20.2)	.14
35,001-45,000	16 (10.7)	10 (9.6)	.55
>\$45,000	43 (28.9)	9 (8.7)	<.001
Health status			
Very poor	2 (1.4)	6 (5.2)	.07
Poor	8 (5.4)	13 (11.2)	.09
Fair	48 (32.7)	49 (42.2)	.10
Good	77 (52.4)	44 (37.9)	.02
Excellent	12 (8.2)	4 (3.4)	.11

Variables	Older Veterans with current Internet access, n (%) (n=149)	Older Veterans with no Internet access, n (%) (n=117)	P value (z test)
Need help reading hospital materials? (health literacy)			
Always	14 (9.4)	22 (19.3)	.03
Often	7 (4.7)	6 (5.3)	.87
Sometimes	17 (11.4)	11 (9.6)	.60
Occasionally	28 (18.8)	19 (16.7)	.60
Never	83 (55.7)	56 (49.1)	.20
Confident filling out medical forms? (health literacy)			
Not at all	13 (8.7)	23 (20.2)	.01
A little bit	8 (5.4)	14 (12.3)	.05
Somewhat	26 (17.4)	29 (25.4)	.14
Quite a bit	45 (30.2)	23 (20.2)	.05
Extremely	57 (38.3)	25 (21.9)	.003

Across the entire sample, 45.5% (121/266) of respondents reported gaining Internet access through a home computer, whereas 11.7% (31/266) of respondents gained Internet access through a smartphone or tablet. Few respondents reported gaining Internet access through community settings, such as a library (4.5%, 12/266) or senior center (1.5%, 4/266). Others reported gaining direct Internet access by using a family member's (13.2%, 35/266) or a friend's (3.0%, 8/266) computer.

When asked about their technology use in the past month, 66.8% (175/262) of respondents had used a cellular phone, whereas 17.6% (46/262) of respondents had used a smartphone. Among these older Veterans, 21.8% (57/262) reported sending text messages from their phone, sending texts to their children, friends, and spouse most frequently. In terms of computing devices, 37.8% (99/262) of all respondents had used a desktop computer in the past month, 20.2% (53/262) had used a laptop computer, and 9.9% (26/262) had used a tablet.

Table 2 compares the technology use of older Veterans based on their current Internet access. Veterans reporting no Internet access were also more likely to report being very uncomfortable using the Internet ($\chi^2_4=82.3$, $P<.001$), and less likely to report having used a smartphone ($\chi^2_1=39.4$, $P<.001$), tablet ($\chi^2_4=18.8$, $P<.001$), desktop computer ($\chi^2_1=113.3$, $P<.001$), or laptop computer ($\chi^2_1=43.4$, $P<.001$) in the past 4 weeks than those with current access. Of note, there was no significant difference in the proportion of older Veterans using a cellular phone in the past 4 weeks based on current Internet access ($\chi^2_1=1.6$, $P=.20$). However, there was a significant difference in the proportion of older Veterans who sent text messages on their cell phone ($\chi^2_1=17.2$, $P<.001$); only 6.8% (8/115) without Internet access sent text messages.

Table 2. Technology use of Veterans compared by Internet access.

Variables	Older Veterans with current Internet access, n (%) (n=147)	Older Veterans with no Internet access, n (%) (n=95/115) ^a	P value (z test)
Comfort using the Internet			
Very comfortable	54 (36.7)	5 (5.3)	.001
Somewhat comfortable	37 (25.2)	7 (7.4)	.001
Neither comfortable nor uncomfortable	21 (14.3)	17 (17.9)	.45
Somewhat uncomfortable	18 (12.2)	7 (7.4)	.22
Very uncomfortable	17 (11.6)	59 (62.1)	.001
Devices used in the past month			
None	7 (4.8)	42 (36.5)	.001
Cellular phone	103 (70.1)	72 (62.6)	.20
Smartphone	45 (30.6)	1 (0.9)	.001
Desktop computer	97 (66.0)	2 (1.7)	.001
Laptop	51 (34.7)	2 (1.7)	.001
Tablet	25 (17.0)	1 (0.9)	.001
Sends text messages			
Yes	48 (32.7)	8 (7.0)	.001
No	89 (60.5)	74 (64.3)	.53

^a Devices used in past month and sends text messages: n=115.

Access Through Social Ties

We examined respondents' reported ability for Internet access through social ties (see [Figure 1](#)). Older Veterans reported a median of 8 (IQR 9) social ties with home Internet access when asked to consider the people that they had spoken to in the past 4 weeks. Among those social ties with Internet access, older Veterans reported that a median of 3 (IQR 8) social ties would share use of a technological device to allow them to use the Internet for the purpose of health management. Older Veterans felt comfortable asking a median of 4 (IQR 6) social ties for help to use the Internet for health management. Finally, older Veterans reported that a median of 4 (IQR 7) social ties would be willing to use the Internet for them to manage their health.

Focusing on those Veterans without Internet access (which directly represents the digital divide; n=117), we found that

these older Veterans still reported a median of 5 (IQR 7) social ties with home Internet access. Similarly, those older Veterans without Internet access reported a median of 1 (IQR 4) social tie who would share use of a technological device for health management. Older Veterans without Internet access also reported feeling comfortable asking a median of 2 (IQR 4) social ties for help to use the Internet and median of 2 (IQR 4) social ties that would use the Internet for the older Veteran for the purpose of health management.

A closer examination of those older Veterans without Internet access showed that the majority (81.2%, 95/117) reported having two or more social ties with home Internet access (see [Table 3](#)). In addition, slightly more than half (54.7%, 64/117) reported having two or more ties that they would feel comfortable asking for help to use the Internet and two or more ties that would use the Internet for them (56.4%, 66/117).

Table 3. Proportions of reported social ties by older Veterans without Internet access (N=117).

Variables	No reported ties/missing, n (%)	1 tie, n (%)	≥2 Ties, n (%)
Social ties with home Internet access	13 (11.1)	9 (7.7)	95 (81.2)
Social ties would share use of a device	60 (51.3)	15 (12.8)	42 (35.9)
Social ties that Veteran would ask for help with Internet	35 (29.9)	18 (15.4)	64 (54.7)
Social ties would access the Internet for the Veteran	35 (29.9)	16 (13.7)	66 (56.4)

[Figure 2](#) shows the reported Internet access through social ties by specific tie category (eg, adult child, extended family member, and friend). Those older Veterans without Internet access still reported a median of 2 (IQR 4) adult children, a

median of 1 (IQR 3) extended family member, and a median of 1 (IQR 2) friend with home Internet access. Furthermore, Veterans without Internet access reported a median of 1 (IQR 2) adult child and a median of 1 (IQR 2) extended family

member whom the older Veteran would feel comfortable asking for help to use the Internet. Veterans without Internet access also reported a median of 1 (IQR 2) adult child and a median

of 1 (IQR 2) extended family member who would use the Internet for the respondent.

Figure 1. Older Veterans’ reported Internet access through social ties (n=170).





Figure 2. Perceived Internet access through specific types of social ties (adult children, extended family, or friends) among older Veterans without current Internet access (n=95).



Discussion

Principal Results

Our study investigated a sample of older Veterans to understand their personal access to and use of technology as well as their reported ability to access technology through their social ties. We chose to examine a group of older Veterans because they represent an increasingly growing proportion of the US population [9,43,44], and present with complex health care needs [10-12] that could benefit from HIT support. In addition, the social and economic barriers to technology adoption are more common in Veterans. Thus, research conducted with Veterans can suggest solutions relevant to our more vulnerable patient subgroups. Our study provides a unique opportunity to examine the technology use and social relationships of a national cohort of vulnerable older adults. Among our sample, most of who were lower income, less educated, and managing multiple chronic conditions, we found that nearly half reported having no Internet access. Yet, these older Veterans without Internet access still reported a median of 5 (IQR 7) people in their lives with home Internet access, with more than four-fifths reporting two or more social ties with access.

The Reach of Technology Among Older Veterans

To place our sample in context, our respondents were similar in racial background, marital status, educational attainment, and income as compared to other studies of elderly Veterans [11,43] as well as the overall Veteran population [9]. Our entire sample of older Veteran respondents also had attained less education and earned less income than their civilian counterparts [45]. Thus, our study illustrates the technology use of a group typically at risk for digital disparities.

Recent surveys of civilian older adults from organizations such as the AARP and the Pew Research Center's Internet & American Life Project, have estimated that approximately half of older adults have access to and use the Internet, and most gain access through their home computer [6,40]. Our findings corroborate these estimates with 45% of our older Veteran respondents reporting Internet access through their home computer. Compared to Pew's estimation that 18% of older adults have adopted smartphones [6], we found similar rates of older Veterans reporting Internet access through a smartphone (18%), and that cellular phone use had been largely adopted by both older Veterans (~66%) and older civilians (77%, according to [6]). Older Veterans appear to adopt technological devices and use the Internet at similar rates as the older civilian population.

In our sample, older Veterans reporting current Internet access were younger, more educated, and wealthier than those Veterans reporting no access. These demographic predictors of Internet access (age, education, and income) are consistent with other studies of the digital divide in civilians [2,6,8,41], as well as other investigations of Veterans [46,47]. Because approximately two-thirds of our sample earned less than US \$35,000 per year, it is possible that the patterns of use reported by older Veterans were driven by income rather than age. Nevertheless, recent Pew Research Center data report that among US adults who have yet to adopt the Internet, 41% are older than 65 years old,

whereas 23% earn less than US \$30,000 per year [48], which may indicate that age is still a strong predictor of technology adoption. Future work should attempt to disentangle the relationship between income and age within the digital divide among Veterans. Furthermore, we found that older Veterans without Internet access were more likely to report being very uncomfortable using the Internet, suggesting that a lack of computer literacy could also contribute to the lack of access. This parallels studies of older civilians that found that older adult technology adoption is moderated by computer anxiety and confidence in computer skills [49,50]. In fact, even among the older Veterans who reported current Internet access, only 37% (54/147) reported being "very comfortable" using the Internet. Although some older Veterans may be able to access the Internet at home, they may still lack the confidence or skills to fully engage with HIT tools. Therefore, the potential for supported use through social ties is great even among those older Veterans who have opted for home Internet.

The Potential For Social Access

We were particularly interested in the ability of older Veterans without Internet access to gain access through their social ties as this group exemplifies the "digital divide." Encouragingly, our study revealed that even among this group, the majority still reported two or more social ties with home Internet access. These respondents also reported at least one adult child or extended family member who would use the Internet for the older Veteran. Previous research on older British civilians has similarly found that older adults might gain Internet access by using the computer of a family member [7,51]. Our work, the first to quantify potential social use of technology among US Veterans, corroborates these findings and contributes to the body of literature by examining Internet use of a vulnerable US population within the context of health management. Similarly, "surrogate" health information seeking, in which a friend or family member conducts an online search for the benefit of another, has been documented [52-54] and is likely quite commonplace. Studies of this activity have predominantly focused on identifying the characteristics and behaviors of "surrogate seekers," who tend to be middle-aged, a spouse or parent, and serve as a caregiver [52-55]. Surrogate seekers also are more likely to engage in a variety of online content-generating activities, such as participating in online support groups or emailing health care providers [54]. Our study contributes to this literature by assessing the reported experiences and behaviors of older Veterans who may benefit from surrogate searches. Our older Veteran respondents appear to have multiple social ties who could perform a surrogate search for the benefit of health management, allowing the older adult to benefit from the Internet indirectly.

Those Veterans without Internet access also reported at least one adult child or extended family member that the older Veteran would feel comfortable asking for help to use the Internet. This corresponds with the concept of the "warm expert" whereby someone in a close relationship with the technology novice can serve as a mediator between the needs and skills of the novice and the technological system [56]. In other words, the family can provide instruction, assistance, and other instrumental support to the older adult for the purpose of direct

technology access for health management. Recent polls suggest that 70% of older adults who currently use technology, and 87% of nonusers, say that they would need to ask someone for assistance to learn a new technology [6]. Thus, our finding that older Veterans report even a few social ties who could serve in this capacity suggests that older Veterans can identify the warm experts in their lives and may be willing to call on these social relationships for technology assistance. Interventions that educate families about the value of HIT for health management and promote skills for family technology collaboration may help to reduce the gap in older Veteran HIT use.

Implications for Technological Design and Health Care Policy

Our study finds that older Veterans are able and willing to call on social ties for both direct and indirect access to the Internet. This indicates that social relationships may represent a possible solution to ensuring that older Veterans benefit from HIT innovations. However, one practical challenge to collaborative use of health technology concerns information privacy. For example, the majority of Americans desire to be in control of their personal information, both online and offline [57]. Therefore, older Veterans may not want to share their health information with their family or friends via collaborative use of HIT tools. Nevertheless, most of our participants endorsed comfort with having a social tie assist with Internet use in the context of health management, where health information is likely to be transmitted. If an older Veteran feels such comfort asking their social tie for assistance, it is likely that the older Veteran would feel similar comfort with this close tie having access to their personal health information.

As another challenge, current technological design typically does not allow for social means of access, limiting the potential for social ties to engage and assist older users. For example, a scan of five prominent health care systems revealed that only two currently allow patients to designate a family member as a caregiver who can access all their personal health information. Thus, for most older patients, social ties are unable to assist with access to personal health information or providers (through electronic messaging) in a secure, confidential way. We recommend that developers design HIT tools that are conducive to multiple log-ins across multiple platforms in order to facilitate and encourage surrogate use and family collaboration. Similarly, we suggest that health care systems allow patients to delegate a surrogate who gains equal access to the HIT tools provided to patients. This could have a two-fold effect of encouraging family involvement in the care of older patients as well as enhancing information sharing between informal caregivers and family members.

Limitations

Our study does have a few limitations. As noted, approximately 19% of our sampling cohort returned a completed survey, which

is a lower response rate than we had targeted. As a result, we may be experiencing a nonresponse bias whereby those who returned the survey do not share the same characteristics as the entire sample. This may suggest that our findings do not represent most older Veterans. However, we found that our respondents are similar to the overall Veteran population across major demographic characteristics (ie, age, race, marital status, income, and education), and similar to those older adults most vulnerable to the digital divide: those with less education and income.

Additionally, our sample received the survey through the mail and could choose to participate by returning the completed survey. We may have experienced a participation bias, whereby those older Veterans who opted to return the survey were more comfortable with or interested in technology and more likely to have access. Yet, we found that almost half of our sample reported having no Internet access and that our sample reported engaging in technology at similar rates to the older civilian and overall Veteran populations. This could indicate that our findings accurately represent the wide spectrum of older Veteran use of technology and ability for access through social ties. In addition, we may have experienced an item nonresponse bias, whereby some older Veterans failed to respond to survey questions by mistake or purposefully. However, our study is not designed to represent a definitive scan of the population, but an initial inquiry in order to determine the feasibility of future social network interventions.

Finally, our study is not a traditional social network survey in that we investigate older Veteran reports of their social ties, but do not assess the social ties themselves. Although older Veterans may report the ability for direct and indirect Internet access through social ties, the social ties may account differently. Future work should examine the ability and willingness of family and friends to assist older adults with Internet access and use of HIT tools for a number of health management activities (eg, prescription requests vs bill payment vs access to clinical notes) in order to fully understand the experiences of all stakeholders.

Conclusions

The digital divide puts some older adults at a disadvantage, limiting their ability to benefit from technology innovations that support health management. This study found that older Veterans are surrounded by social ties that do have access and can likely assist the older Veteran to use these tools. These findings can be used to design family interventions, develop HIT tools, and inform health care policy. In short, the potential for older Veteran access to HIT through social ties is great, and may serve as a partial solution to the digital divide.

Acknowledgments

This work was funded as a locally initiated project by the eHealth Quality Enhancement Research Initiative of the Department of Veterans Affairs. The authors also want to acknowledge the assistance and support of Felicia Kleinberg in data collection and

management, as well as Kathryn DeLaughter in preparation of the manuscript. The views expressed in this paper are those of the authors and do not necessarily reflect the position or policy of the Department of Veterans Affairs or the United States government.

Conflicts of Interest

None declared.

References

1. Birru M, Monaco V, Charles L, Drew H, Njie V, Bierria T, et al. Internet usage by low-literacy adults seeking health information: an observational analysis. *J Med Internet Res* 2004 Sep 03;6(3):e25 [FREE Full text] [doi: [10.2196/jmir.6.3.e25](https://doi.org/10.2196/jmir.6.3.e25)] [Medline: [15471751](https://pubmed.ncbi.nlm.nih.gov/15471751/)]
2. Cotten SR, Gupta SS. Characteristics of online and offline health information seekers and factors that discriminate between them. *Soc Sci Med* 2004 Nov;59(9):1795-1806. [doi: [10.1016/j.socscimed.2004.02.020](https://doi.org/10.1016/j.socscimed.2004.02.020)] [Medline: [15312915](https://pubmed.ncbi.nlm.nih.gov/15312915/)]
3. Van Dijk J. *The Deepening Divide: Inequality in the Information Society*. Thousand Oaks, CA: Sage Publishing; 2005.
4. van Dijk JA. Digital divide research, achievements and shortcomings. *Poetics* 2006 Aug;34(4-5):221-235. [doi: [10.1016/j.poetic.2006.05.004](https://doi.org/10.1016/j.poetic.2006.05.004)]
5. Jansen B. 24. Use of the internet in higher-income households. Pew Research Center. 2010 Oct 24. URL: <http://www.pewinternet.org/2010/11/24/use-of-the-internet-in-higher-income-households/> [WebCite Cache ID 6ipcFbwMf]
6. Smith A. Older adults and technology use. Pew Research Center. 2014 Apr 03. URL: <http://www.pewinternet.org/2014/04/03/older-adults-and-technology-use/> [accessed 2016-07-07] [WebCite Cache ID 6ipbINUNN]
7. Hill R, Beynon-Davies P, Williams MD. Older people and Internet engagement. *Info Technology & People* 2008 Aug 22;21(3):244-266. [doi: [10.1108/09593840810896019](https://doi.org/10.1108/09593840810896019)]
8. Campbell RJ. Internet-rounded to nearest whole number. *Home Health Care Manage Pract* 2008 Jul 08;21(3):195-202. [doi: [10.1177/1084822308322648](https://doi.org/10.1177/1084822308322648)]
9. US Department of Veterans Affairs. National Center for Veterans analysis and statistics: The Veteran Population Projection Model. URL: http://www.va.gov/vetdata/veteran_population.asp [accessed 2016-07-07] [WebCite Cache ID 6ipdt8gls]
10. Agha Z, Lofgren R, VanRuiswyk J, Layde P. Are patients at Veterans Affairs medical centers sicker? A comparative analysis of health status and medical resource use. *Arch Intern Med* 2000 Nov 27;160(21):3252-3257. [Medline: [11088086](https://pubmed.ncbi.nlm.nih.gov/11088086/)]
11. Selim AJ, Berlowitz DR, Fincke G, Cong Z, Rogers W, Haffer SC, et al. The health status of elderly veteran enrollees in the Veterans Health Administration. *J Am Geriatr Soc* 2004 Aug;52(8):1271-1276. [doi: [10.1111/j.1532-5415.2004.52355.x](https://doi.org/10.1111/j.1532-5415.2004.52355.x)] [Medline: [15271113](https://pubmed.ncbi.nlm.nih.gov/15271113/)]
12. Vandenberg P, Bergofsky L, Burris J. The VA's systems of care and the veterans under care. *Generations* 2010;34(2):13-19.
13. Fichman RG, Kohli R, Krishnan R. The role of information systems in healthcare: current research and future trends. *Inf Syst Res* 2011 Sep;22(3):419-428. [doi: [10.1287/isre.1110.0382](https://doi.org/10.1287/isre.1110.0382)]
14. Fortney JC, Burgess JF, Bosworth HB, Booth BM, Kaboli PJ. A re-conceptualization of access for 21st century healthcare. *J Gen Intern Med* 2011 Nov;26 Suppl 2:639-647 [FREE Full text] [doi: [10.1007/s11606-011-1806-6](https://doi.org/10.1007/s11606-011-1806-6)] [Medline: [21989616](https://pubmed.ncbi.nlm.nih.gov/21989616/)]
15. Hogan TP, Wakefield B, Nazi KM, Houston TK, Weaver FM. Promoting access through complementary eHealth technologies: recommendations for VA's Home Telehealth and personal health record programs. *J Gen Intern Med* 2011 Nov;26 Suppl 2:628-635 [FREE Full text] [doi: [10.1007/s11606-011-1765-y](https://doi.org/10.1007/s11606-011-1765-y)] [Medline: [21989614](https://pubmed.ncbi.nlm.nih.gov/21989614/)]
16. Smith M, Halvorson G, Kaplan G. What's needed is a health care system that learns: recommendations from an IOM report. *JAMA* 2012 Oct 24;308(16):1637-1638. [doi: [10.1001/jama.2012.13664](https://doi.org/10.1001/jama.2012.13664)] [Medline: [23093161](https://pubmed.ncbi.nlm.nih.gov/23093161/)]
17. Bayliss EA, Bosworth HB, Noel PH, Wolff JL, Damush TM, Mciver L. Supporting self-management for patients with complex medical needs: recommendations of a working group. *Chronic Illn* 2007 Jun;3(2):167-175. [doi: [10.1177/1742395307081501](https://doi.org/10.1177/1742395307081501)] [Medline: [18083671](https://pubmed.ncbi.nlm.nih.gov/18083671/)]
18. Young AS, Chaney E, Shoai R, Bonner L, Cohen AN, Doebbeling B, et al. Information technology to support improved care for chronic illness. *J Gen Intern Med* 2007 Dec;22 Suppl 3:425-430 [FREE Full text] [doi: [10.1007/s11606-007-0303-4](https://doi.org/10.1007/s11606-007-0303-4)] [Medline: [18026812](https://pubmed.ncbi.nlm.nih.gov/18026812/)]
19. Ricciardi L, Mostashari F, Murphy J, Daniel JG, Siminerio EP. A national action plan to support consumer engagement via e-health. *Health Aff (Millwood)* 2013 Feb;32(2):376-384 [FREE Full text] [doi: [10.1377/hlthaff.2012.1216](https://doi.org/10.1377/hlthaff.2012.1216)] [Medline: [23381531](https://pubmed.ncbi.nlm.nih.gov/23381531/)]
20. Jackson G, Krein S, Alverson D, Darkins AW, Gunnar W, Harada ND, et al. Defining core issues in utilizing information technology to improve access: evaluation and research agenda. *J Gen Intern Med* 2011 Nov;26 Suppl 2:623-627 [FREE Full text] [doi: [10.1007/s11606-011-1789-3](https://doi.org/10.1007/s11606-011-1789-3)] [Medline: [21989613](https://pubmed.ncbi.nlm.nih.gov/21989613/)]
21. Department of Veterans Affairs. VA app store. 2016. URL: <https://mobile.va.gov/appstore> [accessed 2016-10-31] [WebCite Cache ID 6lfh0sVkW]
22. Nazi KM, Hogan TP, Wagner TH, McInnes DK, Smith BM, Haggstrom D, et al. Embracing a health services research perspective on personal health records: lessons learned from the VA My HealtheVet system. *J Gen Intern Med* 2010 Jan;25 Suppl 1:62-67 [FREE Full text] [doi: [10.1007/s11606-009-1114-6](https://doi.org/10.1007/s11606-009-1114-6)] [Medline: [20077154](https://pubmed.ncbi.nlm.nih.gov/20077154/)]

23. Wright P, Malcolm C, Hicken B, Rupper R. The VA Caregiver Support Line: a gateway of support for caregivers of veterans. *J Gerontol Soc Work* 2015;58(4):386-398. [doi: [10.1080/01634372.2015.1019168](https://doi.org/10.1080/01634372.2015.1019168)] [Medline: [25757513](https://pubmed.ncbi.nlm.nih.gov/25757513/)]
24. National Alliance for Caregiving, AARP. Caregiving in the US. 2015 Jun. URL: http://www.caregiving.org/wp-content/uploads/2015/05/2015_CaregivingintheUS_Final-Report-June-4_WEB.pdf [accessed 2016-10-31] [WebCite Cache ID [6lfhZRD8e](https://www.webcitation.org/6lfhZRD8e)]
25. Rosland A, Piette JD, Choi H, Heisler M. Family and friend participation in primary care visits of patients with diabetes or heart failure: patient and physician determinants and experiences. *Med Care* 2011 Jan;49(1):37-45 [FREE Full text] [doi: [10.1097/MLR.0b013e3181f37d28](https://doi.org/10.1097/MLR.0b013e3181f37d28)] [Medline: [21102357](https://pubmed.ncbi.nlm.nih.gov/21102357/)]
26. National Alliance for Caregiving, AARP. Caregiving in the US 2009. 2009 Nov. URL: http://www.caregiving.org/pdf/research/Caregiving_in_the_US_2009_full_report.pdf [accessed 2016-10-31] [WebCite Cache ID [6lfhgsqLH](https://www.webcitation.org/6lfhgsqLH)]
27. Berkman LF, Glass T, Brissette I, Seeman TE. From social integration to health: Durkheim in the new millennium. *Soc Sci Med* 2000 Sep;51(6):843-857. [doi: [10.1016/S0277-9536\(00\)00065-4](https://doi.org/10.1016/S0277-9536(00)00065-4)]
28. Smith KP, Christakis NA. Social networks and health. *Annu Rev Sociol* 2008 Aug;34(1):405-429. [doi: [10.1146/annurev.soc.34.040507.134601](https://doi.org/10.1146/annurev.soc.34.040507.134601)]
29. Kadushin C. *Understanding Social Networks: Theories, Concepts, and Findings*. New York: Oxford University Press; 2012.
30. Valente TW. Network interventions. *Science* 2012 Jul 6;337(6090):49-53. [doi: [10.1126/science.1217330](https://doi.org/10.1126/science.1217330)] [Medline: [22767921](https://pubmed.ncbi.nlm.nih.gov/22767921/)]
31. Seeman TE, Kaplan GA, Knudsen L, Cohen R, Guralnik J. Social network ties and mortality among the elderly in the Alameda County Study. *Am J Epidemiol* 1987 Oct;126(4):714-723. [Medline: [3631060](https://pubmed.ncbi.nlm.nih.gov/3631060/)]
32. Fiori KL, Antonucci TC, Cortina KS. Social network typologies and mental health among older adults. *J Gerontol B Psychol Sci Soc Sci* 2006 Jan;61(1):P25-P32. [Medline: [16399938](https://pubmed.ncbi.nlm.nih.gov/16399938/)]
33. Zunzunegui M, Alvarado B, Del Ser T, Otero A. Social networks, social integration, and social engagement determine cognitive decline in community-dwelling Spanish older adults. *J Gerontol B Psychol Sci Soc Sci* 2003 Mar;58(2):S93-S100 [FREE Full text] [Medline: [12646598](https://pubmed.ncbi.nlm.nih.gov/12646598/)]
34. Barnes LL, Mendes de Leon CF, Wilson RS, Bienias JL, Evans DA. Social resources and cognitive decline in a population of older African Americans and whites. *Neurology* 2004 Dec 28;63(12):2322-2326. [Medline: [15623694](https://pubmed.ncbi.nlm.nih.gov/15623694/)]
35. Bennett DA, Schneider JA, Tang Y, Arnold SE, Wilson RS. The effect of social networks on the relation between Alzheimer's disease pathology and level of cognitive function in old people: a longitudinal cohort study. *Lancet Neurol* 2006 May;5(5):406-412. [doi: [10.1016/S1474-4422\(06\)70417-3](https://doi.org/10.1016/S1474-4422(06)70417-3)] [Medline: [16632311](https://pubmed.ncbi.nlm.nih.gov/16632311/)]
36. Cornwell EY, Waite LJ. Social disconnectedness, perceived isolation, and health among older adults. *J Health Soc Behav* 2009 Mar;50(1):31-48 [FREE Full text] [Medline: [19413133](https://pubmed.ncbi.nlm.nih.gov/19413133/)]
37. Shankar A, McMunn A, Banks J, Steptoe A. Loneliness, social isolation, and behavioral and biological health indicators in older adults. *Health Psychol* 2011 Jul;30(4):377-385. [doi: [10.1037/a0022826](https://doi.org/10.1037/a0022826)] [Medline: [21534675](https://pubmed.ncbi.nlm.nih.gov/21534675/)]
38. Cohen S. Social relationships and health. *Am Psychol* 2004 Nov;59(8):676-684. [doi: [10.1037/0003-066X.59.8.676](https://doi.org/10.1037/0003-066X.59.8.676)] [Medline: [15554821](https://pubmed.ncbi.nlm.nih.gov/15554821/)]
39. Bunz U. The Computer-Email-Web (CEW) Fluency Scale-development and validation. *Int J Hum-Comput Int* 2004 Dec;17(4):479-506. [doi: [10.1207/s15327590ijhc1704_3](https://doi.org/10.1207/s15327590ijhc1704_3)]
40. Keenan T. Internet use among midlife and older adults: an AARP Bulletin poll. Washington, DC: AARP; 2009 Dec. URL: http://assets.aarp.org/rgcenter/general/bulletin_internet_09.pdf [accessed 2016-10-31] [WebCite Cache ID [6lfiGLrsA](https://www.webcitation.org/6lfiGLrsA)]
41. Zickuhr K, Smith A. Digital differences. Pew Research Center. 2012 Apr 13. URL: <http://www.pewinternet.org/2012/04/13/digital-differences/> [accessed 2016-10-31] [WebCite Cache ID [6lfkbAN0u](https://www.webcitation.org/6lfkbAN0u)]
42. Chew LD, Griffin JM, Partin MR, Noorbaloochi S, Grill JP, Snyder A, et al. Validation of screening questions for limited health literacy in a large VA outpatient population. *J Gen Intern Med* 2008 May;23(5):561-566 [FREE Full text] [doi: [10.1007/s11606-008-0520-5](https://doi.org/10.1007/s11606-008-0520-5)] [Medline: [18335281](https://pubmed.ncbi.nlm.nih.gov/18335281/)]
43. Villa VM, Harada ND, Washington D, Damron-Rodriguez J. The health and functional status of US veterans aged 65+: implications for VA health programs serving an elderly, diverse veteran population. *Am J Med Qual* 2003;18(3):108-116. [Medline: [12836900](https://pubmed.ncbi.nlm.nih.gov/12836900/)]
44. Totten A, Carson S, Peterson K, Low A, Christensen V, Tiwari A. Evidence brief: effect of geriatricians on outcomes of inpatient and outpatient care. Washington, DC: Department of Veterans Affairs; 2012 Jun. URL: <http://www.ncbi.nlm.nih.gov/books/NBK98020/> [accessed 2016-10-31] [WebCite Cache ID [6lflJojf](https://www.webcitation.org/6lflJojf)]
45. United States Census Bureau. American Community Survey: data tables and tools. 2016. URL: <http://www.census.gov/acs/www/data/data-tables-and-tools/index.php> [accessed 2016-10-31] [WebCite Cache ID [6lflpagnf](https://www.webcitation.org/6lflpagnf)]
46. McInnes K, Gifford A, Kazis L, Wagner T. Disparities in health-related Internet use by US veterans: results from a national survey. *Inform Prim Care* 2010;18(1):59-68 [FREE Full text] [Medline: [20429979](https://pubmed.ncbi.nlm.nih.gov/20429979/)]
47. Tsai J, Rosenheck RA. Use of the internet and an online personal health record system by US veterans: comparison of Veterans Affairs mental health service users and other veterans nationally. *J Am Med Inform Assoc* 2012;19(6):1089-1094 [FREE Full text] [doi: [10.1136/amiajnl-2012-000971](https://doi.org/10.1136/amiajnl-2012-000971)] [Medline: [22847305](https://pubmed.ncbi.nlm.nih.gov/22847305/)]

48. Anderson M, Perrin A. 16. 13% of Americans don't use the Internet. Who are they? Pew Research Center. 2016 Sep 16. URL: <http://www.pewresearch.org/fact-tank/2016/09/07/some-americans-dont-use-the-internet-who-are-they/> [accessed 2016-10-31] [WebCite Cache ID 6flzxThc]
49. Czaja SJ, Charness N, Fisk AD, Hertzog C, Nair SN, Rogers WA, et al. Factors predicting the use of technology: findings from the Center for Research and Education on Aging and Technology Enhancement (CREATE). *Psychol Aging* 2006 Jun;21(2):333-352 [FREE Full text] [doi: [10.1037/0882-7974.21.2.333](https://doi.org/10.1037/0882-7974.21.2.333)] [Medline: [16768579](https://pubmed.ncbi.nlm.nih.gov/16768579/)]
50. Wagner N, Hassanein K, Head M. Computer use by older adults: a multi-disciplinary review. *Comput Hum Behav* 2010 Sep;26(5):870-882. [doi: [10.1016/j.chb.2010.03.029](https://doi.org/10.1016/j.chb.2010.03.029)]
51. Selwyn N, Gorard S, Furlong J, Madden L. Older adults' use of information and communications technology in everyday life. *Ageing Soc* 2003 Sep 2;23(05):561-582. [doi: [10.1017/S0144686X03001302](https://doi.org/10.1017/S0144686X03001302)]
52. Abrahamson J, Fisher K, Turner A, Durrance J, Turner T. Lay information mediary behavior uncovered: exploring how nonprofessionals seek health information for themselves and others online. *J Med Libr Assoc* 2008 Oct;96(4):310-323 [FREE Full text] [doi: [10.3163/1536-5050.96.4.006](https://doi.org/10.3163/1536-5050.96.4.006)] [Medline: [18974809](https://pubmed.ncbi.nlm.nih.gov/18974809/)]
53. Sadasivam R, Kinney R, Lemon S, Shimada S, Allison J, Houston T. Internet health information seeking is a team sport: analysis of the Pew Internet Survey. *Int J Med Inform* 2013 Mar;82(3):193-200. [doi: [10.1016/j.ijmedinf.2012.09.008](https://doi.org/10.1016/j.ijmedinf.2012.09.008)] [Medline: [23149121](https://pubmed.ncbi.nlm.nih.gov/23149121/)]
54. Cutrona SL, Mazor KM, Vieux SN, Luger TM, Volkman JE, Finney Rutten LJ. Health information-seeking on behalf of others: characteristics of "surrogate seekers". *J Cancer Educ* 2015 Mar;30(1):12-19 [FREE Full text] [doi: [10.1007/s13187-014-0701-3](https://doi.org/10.1007/s13187-014-0701-3)] [Medline: [24989816](https://pubmed.ncbi.nlm.nih.gov/24989816/)]
55. Fox S. 12. The social life of health information, 2011. Pew Research Center. 2011 May 12. URL: <http://www.pewinternet.org/2011/05/12/the-social-life-of-health-information-2011/> [WebCite Cache ID 6ipcuEQbb]
56. Bakardjieva M. *Internet Society: The Internet in Everyday Life*. Thousand Oaks, CA: Sage Publishing; 2005.
57. Madden M, Rainie L. *Americans' attitudes about privacy, security and surveillance*. Washington DC: Pew Research Center Internet & American Life Project; 2015 May 20. URL: http://www.pewinternet.org/files/2015/05/Privacy-and-Security-Attitudes-5.19.15_FINAL.pdf [accessed 2016-10-31] [WebCite Cache ID 6lfoh49vB]

Abbreviations

HIT: health information technology

VHA: Veteran's Health Administration

Edited by G Eysenbach; submitted 28.07.16; peer-reviewed by K Jiggins Colorafi, C Brown-Johnson; comments to author 11.08.16; revised version received 20.09.16; accepted 07.10.16; published 23.11.16

Please cite as:

Luger TM, Hogan TP, Richardson LM, Cioffari-Bailiff L, Harvey K, Houston TK

Older Veteran Digital Disparities: Examining the Potential for Solutions Within Social Networks

J Med Internet Res 2016;18(11):e296

URL: <http://www.jmir.org/2016/11/e296/>

doi: [10.2196/jmir.6385](https://doi.org/10.2196/jmir.6385)

PMID: [27881361](https://pubmed.ncbi.nlm.nih.gov/27881361/)

©Tana M Luger, Timothy P Hogan, Lorilei M Richardson, Lisa Cioffari-Bailiff, Kimberly Harvey, Thomas K Houston. Originally published in the *Journal of Medical Internet Research* (<http://www.jmir.org>), 23.11.2016. This is an open-access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/2.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work, first published in the *Journal of Medical Internet Research*, is properly cited. The complete bibliographic information, a link to the original publication on <http://www.jmir.org/>, as well as this copyright and license information must be included.