

May 22nd, 4:30 PM - 6:00 PM

Primary Care Physicians' Views on Medical Error and Disclosure in Cancer Care

Kathleen M. Mazor

University of Massachusetts Medical School

Cassandra L. Firreno


University of Massachusetts Medical School

Celeste A. Lemay

University of Massachusetts Medical School

See next page for additional authors

Follow this and additional works at: http://escholarship.umassmed.edu/cts_retreat

 Part of the [Bioethics and Medical Ethics Commons](#), [Health Services Research Commons](#), [Neoplasms Commons](#), and the [Primary Care Commons](#)

Mazor, Kathleen M.; Firreno, Cassandra L.; Lemay, Celeste A.; Roblin, Douglas W.; Greene, Sarah M.; Prouty, Carolyn; Lapham, Beth; Robinson, Brandi; Dunlap, Ben; Anau, Jane; and Gallagher, Thomas, "Primary Care Physicians' Views on Medical Error and Disclosure in Cancer Care" (2012). *UMass Center for Clinical and Translational Science Research Retreat*. 43.
http://escholarship.umassmed.edu/cts_retreat/2012/posters/43

This material is brought to you by eScholarship@UMMS. It has been accepted for inclusion in UMass Center for Clinical and Translational Science Research Retreat by an authorized administrator of eScholarship@UMMS. For more information, please contact Lisa.Palmer@umassmed.edu.

Presenter Information

Kathleen M. Mazor, Cassandra L. Firreno, Celeste A. Lemay, Douglas W. Roblin, Sarah M. Greene, Carolyn Prouty, Beth Lapham, Brandi Robinson, Ben Dunlap, Jane Anau, and Thomas Gallagher

Creative Commons License

This work is licensed under a [Creative Commons Attribution-Noncommercial-Share Alike 3.0 License](https://creativecommons.org/licenses/by-nc-sa/3.0/).

PRIMARY CARE PHYSICIANS' VIEWS ON MEDICAL ERROR AND DISCLOSURE IN CANCER CARE

Kathleen Mazor, EdD¹; Cassandra Firneno, BA¹; Celeste Lemay, RN¹, Douglas Roblin, PhD²; Sarah Greene, MPH³; Carolyn Prouty DVM⁴; Beth Lapham, BA³; Brandi Robinson, MPH⁴; MPH; Ben Dunlap⁴, BA; Jane Anau, BA³; Thomas Gallagher, MD⁴

¹ Meyers Primary Care Institute, University of Massachusetts Medical School, Reliant Medical Group, Fallon Community Health Plan, Worcester, MA; ² The Center for Health Research-Southeast, Kaiser Permanente, Atlanta, GA; ³ Group Health Research Institute, Seattle, Washington; ⁴ University of Washington, Department of Medicine, Seattle, WA

Contact information: Kathleen Mazor, EdD
Kathleen.mazor@umassmed.edu
508-791-7392

Introduction: Effective physician-patient communication is critical in cancer care. Breakdowns in communication may follow an actual or suspected medical error because of various professional or medicolegal concerns about those events. We examined views of primary care physicians (PCPs) regarding two hypothetical medical errors, their perceptions of responsibility and intent to communicate these events to patients.

Objectives: To describe PCPs views on medical errors, perceived responsibility and communication after errors during cancer care.

Methods: We surveyed 630 PCPs at 3 healthcare organizations participating in the Cancer Research Network. Questionnaires included two vignettes describing possible medical errors: a delayed diagnosis of breast cancer and; preventable complications of colon cancer treatment. Questions assessed perceived responsibility and intent to communicate with the patient after the event.

Results: A total of 333 PCPs responded (response rate =53%). Eighty-one percent felt that the delayed diagnosis vignette described a serious error; (60%) believed that the preventable complications of colon cancer treatment vignette represented a serious medical error. Few would offer no apology at all for the delayed diagnosis (4%) or the colon cancer complications complications (7%). The most common expression of regret was “I am sorry about what happened to you” without elaboration (48% delayed diagnosis; 56% complications). Just over half (51%) would not volunteer the cause of the delayed diagnosis; compared to 25% in the complications vignette. Perception of the error as serious, and of greater personal responsibility were both predictive of being more forthcoming when communicating to

patient after the event; perceived self-efficacy in communication and the belief that one's organization values good communication were not.

Conclusion: PCPs vary in their attitudes towards medical errors, and their perceptions of responsibility. These attitudes and perceptions are predictive of how physicians intend to communicate with patients after such events, at least in response to two hypothetical cases.