

May 22nd, 4:30 PM - 6:00 PM

Impact of medical and neurological ICU complications on moderate-severe traumatic brain injury (TBI)

Susanne Muehlschlegel
University of Massachusetts Medical School

Raphael A. Carandang
University of Massachusetts Medical School

Cynthia Ouillette
University of Massachusetts Medical School

See next page for additional authors

Follow this and additional works at: http://escholarship.umassmed.edu/cts_retreat

 Part of the [Epidemiology Commons](#), [Health Services Research Commons](#), [Nervous System Diseases Commons](#), [Neurology Commons](#), [Surgery Commons](#), and the [Trauma Commons](#)

Muehlschlegel, Susanne; Carandang, Raphael A.; Ouillette, Cynthia; Hall, Wiley R.; Anderson, Frederick A. Jr.; and Goldberg, Robert J., "Impact of medical and neurological ICU complications on moderate-severe traumatic brain injury (TBI)" (2012). *UMass Center for Clinical and Translational Science Research Retreat*. 48.
http://escholarship.umassmed.edu/cts_retreat/2012/posters/48

This material is brought to you by eScholarship@UMMS. It has been accepted for inclusion in UMass Center for Clinical and Translational Science Research Retreat by an authorized administrator of eScholarship@UMMS. For more information, please contact Lisa.Palmer@umassmed.edu.

Presenter Information

Susanne Muehlschlegel, Raphael A. Carandang, Cynthia Ouillette, Wiley R. Hall, Frederick A. Anderson Jr., and Robert J. Goldberg

Creative Commons License

This work is licensed under a [Creative Commons Attribution-Noncommercial-Share Alike 3.0 License](https://creativecommons.org/licenses/by-nc-sa/3.0/).

IMPACT OF MEDICAL AND NEUROLOGICAL ICU COMPLICATIONS ON MODERATE-SEVERE TRAUMATIC BRAIN INJURY (TBI)

Susanne Muehlschlegel, MD, MPH^{1,2,3}; Raphael Carandang, MD^{1,3}; Cynthia Ouillette, RN¹; Wiley Hall, MD^{1,3}; Fred Anderson, PhD^{3,4}; Robert Goldberg, PhD⁵

Departments of ¹Neurology (Div. Neurocritical Care), ²Anesthesia/Critical Care and ³Surgery; ⁴Center for Outcomes Research; ⁵Department of Quantitative Health Sciences (Div. Epidemiology of Chronic Diseases), University of Massachusetts Medical School, Worcester, MA

Contact information:

Susanne Muehlschlegel, MD, MPH

Email: susanne.muehlschlegel@umassmemorial.org

Phone: 508-856-4684

Abstract:

Certain admission characteristics are known predictors of adverse outcomes in patients with moderate-severe TBI, but explain only 1/3 of outcome variability. Intensive care unit (ICU) complications occur frequently in this population, but their impact on patient outcomes remains poorly defined. In a prospective observational cohort study of 170 consecutive moderate-severe TBI patients admitted to Level I trauma center (UMASS) over the period 11/2009–2/2012, we examined the association of ICU complications and 3-month outcome (Glasgow Outcome Scale [GOS]). The mean age was 51 years, 72% were men, and the median GCS and injury severity scores were 4 and 29, respectively. Using multiple logistic regression analysis, hypotension requiring vasopressors (HRV) was the strongest predictor of poor outcome (GOS 1-3 [OR 2.8; 95% CI 1-7.5]) among medical complications. After combining medical with neurological ICU complications, brain herniation (OR 5.8; 95% CI 1.1-30.2) and intracranial rebleeding (OR 2.9; 95% CI 1-8.4) were the strongest predictors of poor outcome, while HRV approached significance (OR 2.4; 95% CI 0.9-6.4). We identified important potentially modifiable predictors of adverse outcomes after moderate-severe TBI. Confirmation of our findings in a larger cohort is warranted.